

# MILLCREEK MANURE SPREADERS

MORE TIME IN THE SADDLE,  
LESS TIME SADDLED WITH CHORES.



MILLCREEK  
MANUFACTURING CO.

The Preferred Line  
of Spreaders for Clean Stables



## A MILLCREEK TESTIMONIAL

I recently purchased a Millcreek spreader, and it's truly been one of the best purchases I've ever made. I can't tell you how much it helps me with my chores every day! Owning four horses, working full-time, and being a mom really limits my time, and your spreader makes the chore of cleaning the corrals and disposing of manure easier and faster. How did I ever do without one before? I recommend your spreaders to everyone I know with horses . . . Thanks for such an awesome product!

—Sandra Cairncross  
Owner, Tack 'N Up Saddlery  
El Cajon, CA






## MILLCREEK—A TRUE CHAMPION OF CONVENIENCE AND QUALITY

Whether you have one horse or twenty, Millcreek makes a spreader that's just right for you. Every detail is engineered to save time and protect against breakdowns. From the heavy duty, **all-steel construction** to the top quality **powder coating, durable linkage and beater systems**, you can be sure that your Millcreek spreader was built to last. Convenient, time saving options—including the adjustable **dollywheel/jack** and the **manual endgate**—further enhance your investment. We're sure that your Millcreek spreader will quickly become the most-valued piece of equipment in your stable!

This brochure provides an overview of our models. Get all the details on available options and more at our web site: [www.millcreekspreaders.com](http://www.millcreekspreaders.com) or email us at [salesinfo@millcreekmfg.com](mailto:salesinfo@millcreekmfg.com) or call (800) 311-1323.

LEARN MORE AT [WWW.MILLCREEKSPREADERS.COM](http://WWW.MILLCREEKSPREADERS.COM)

### JOIN MILLCREEK & THE BLACK STALLION LITERACY PROJECT



in giving children the gift of reading. For more details visit [www.BSLP.org](http://www.BSLP.org)



**ONLY MILLCREEK OFFERS A FINES PAN OPTION FOR EVERY SIZE SPREADER**  
 ...perfect for finer, smaller materials like chicken litter, compost, etc.

### BEST IN CLASS

The Millcreek reputation for quality is unsurpassed in both design and construction. Here is a sampling of the hallmarks of the Millcreek mini-spreader line:

- Attractive, long-lasting powder-coated finish
- Handsome rounded, cast corners
- Solid, heavy gauge steel construction
- Long-lasting, handcrafted poly floor
- Durable T-rod apron chain
- Sturdy hitch member construction
- Adjustable hitch height settings (*Model 27137 only*)
- Soft touch operating levers
- Low profile for easy loading
- A host of add-on options to make your spreader perfect for you and your budget.

### WE STAND BEHIND OUR PRODUCT

We know—that's the oldest joke in the business. But, we mean it (figuratively, of course). All spreaders are "Millcreek Quality Checked" for form, function, and order specifications before they leave our factory. And, when you need sales assistance or service support, you can count on the Millcreek team to be there to answer the call.

Your Millcreek Spreader is an investment guaranteed to last: Each one comes with the best warranty in the business.

- A 2-year mechanical warranty
- A 10-year urethane-lined side warranty
- A 20-year poly-floor warranty (*Specific warranty terms and restrictions apply.*)



## ANOTHER GREAT PRODUCT—MILLCREEK SPIN GROOMER



### QUICK AND EASY SURFACE FINISHING FOR EQUESTRIAN ARENAS AND RIDING TRACKS

Uneven surfaces mean a risky, bumpy ride for both you and your horse. Millcreek has a proven solution. Stable owners and trainers rave about the Millcreek Spin Groomer, which may be the best arena conditioner available today. Just drop it into position and go—no power source required.

The Spin Groomer spins as you pull it, to condition rutted and uneven surfaces. The optional rake attachment levels the surface behind the Spin Groomer for even finer, smoother surface conditions.




Millcreek's Spin Groomer is available in three sizes; learn more at: [www.millcreekspreaders.com](http://www.millcreekspreaders.com).

## SPREADER SPECIFICATIONS

	MODEL 27+	MODEL 37+	MODEL 57	MODEL 77	MODEL 97
<b>Number of Horses</b>	1-4	4-6	5-10	11-20	20+
<b>Capacity, Cu. Ft/M</b>					
<b>Struck</b>	16 ft <sup>3</sup> /45 m <sup>3</sup>	22 ft <sup>3</sup> /62 m <sup>3</sup>	30 ft <sup>3</sup> /85 m <sup>3</sup>	39 ft <sup>3</sup> /1.1 m <sup>3</sup>	58 ft <sup>3</sup> /1.6 m <sup>3</sup>
<b>Heaped</b> (ASAE S324.1 Std.)	28 ft <sup>3</sup> /79 m <sup>3</sup>	37.3 ft <sup>3</sup> /1.06 m <sup>3</sup>	56 ft <sup>3</sup> /1.6 m <sup>3</sup>	72 ft <sup>3</sup> /2 m <sup>3</sup>	109 ft <sup>3</sup> /3.1 m <sup>3</sup>
<b>Body length</b>	72 in/183 cm	96 in/244 cm	89.5 in/227 cm	114 in/290 cm	114 in/290 cm
<b>Body width</b>	28 in/71 cm	28 in/71 cm	37 in/94 cm	37 in/94 cm	55 in/140 cm
<b>Body Flare width</b>	34 in/86 cm	34 in/86 cm	44.5 in/113 cm	44.5 in/113 cm	62.5 in/159 cm
<b>Body height</b>	15 in/38 cm	15 in/38 cm	17.5 in/45 cm	17.5 in/45 cm	17.5 in/45 cm
<b>Overall length</b>	9'3"/2.8 m	11'3"/3.4 m	11'6"/3.5 m	13'6"/4.1 m	13'6"/4.1 m
<b>Overall width</b>	46.5 in/118 cm	46.5 in/118 cm	58 in/147 cm	58 in/147 cm	79 in/201 cm
<b>Overall height</b>	26.5 in/67 cm	26.5 in/67 cm	34 in/86 cm	34 in/86 cm	39 in/99 cm
<b>Loading height</b>	26.5 in/67 cm	26.5 in/67 cm	34 in/86 cm	34 in/86 cm	39 in/99 cm
<b>Construction</b>	All Steel with Poly Floor	All Steel with Poly Floor	All Steel with Poly Floor	All Steel with Poly Floor	All Steel with Poly Floor
<b>Body Lining (sides)</b>	Thick Skin Urethane <sup>1</sup>	Thick Skin Urethane <sup>1</sup>	Thick Skin Urethane <sup>1</sup>	Thick Skin Urethane <sup>1</sup>	Thick Skin Urethane <sup>1</sup>
<b>Body Finish</b>	Powder Coating	Powder Coating	Powder Coating	Powder Coating	Powder Coating
<b>Front Stabilizer</b>	Dolly Wheel/Jack <sup>1</sup>	Dolly Wheel/Jack	Swing-away Jack	Swing-away Jack	Swing-away Jack
<b>Apron Chain</b>	T-Rod Standard	T-Rod Standard	T-Rod Standard	T-Rod Standard	T-Rod Standard
<b>Wheel Assembly</b>	6" x 12" x 4" bolt 15 cm x 30 cm x 10 cm bolt	6" x 12" x 4" bolt 15 cm x 30 cm x 10 cm bolt	7.6" x 15" x 4" bolt 19 cm x 38 cm x 10 cm bolt	7.6" x 15" x 4" bolt 19 cm x 38 cm x 10 cm bolt	8" x 15" x 6" bolt 20 cm x 38 cm x 15 cm bolt
<b>Beater Drive</b>	#RC50	#RC50	PTO: Gearbox Ground Drive: #RC50	PTO: Gearbox Ground Drive: #RC50	PTO: Gearbox
<b>Weight</b>	405 lbs/184 kg	470 lbs/213 kg	660 lbs/299 kg	740 lbs/336 kg	1260 lbs/572 kg
<b>Tractor size<sup>2</sup></b>	15 HP + Lawn & Garden Tractor or 350cc ATV	18 HP + Lawn & Garden Tractor or 450cc ATV	18 HP + Compact Tractor or 500cc ATV	22 HP + Compact Tractor	25 HP + Standard Tractor

<sup>1</sup> Optional with certain models

<sup>2</sup> Please contact your dealer to review spreader compatibility with your power equipment.



The Preferred Line  
of Spreaders for Clean Stables

34 Zimmerman Road  
Leola, PA 17540

**1-800-311-1323**

[www.millcreekspreaders.com](http://www.millcreekspreaders.com) or  
email us at [salesinfo@millcreekmfg.com](mailto:salesinfo@millcreekmfg.com)